

SECTION 22 05 13 {16226}

COMMON MOTOR REQUIREMENTS FOR PLUMBING EQUIPMENT

{COMMON MOTOR REQUIREMENTS FOR PLUMBING EQUIPMENT}

This section includes electric motors and their accessories normally supplied as part of equipment assemblies. For specific motor types for each application refer to those equipment sections.

Manufacturers listed in this section were identified as representative and not as an endorsement for meeting this specification. For additional product information, visit 4Specs at www.4specs.com, ARCAT at www.arcat.com, First Source at www.reedfirstsource.com, SpecSource at www.specsource.com, and Sweets Network at products.construction.com.

This section includes performance, proprietary, and descriptive type specifications. Edit to avoid conflicting requirements.

Contact the CSRF Support Center at supportcenter@csrf.org to submit comments or suggestions for improvements to this specification. Visit the SPECTEXT web site at www.spectext.com for current product announcements.

PART 1 GENERAL

1.1 SUMMARY

- A. Section includes single- and three-phase motors for application on equipment provided under other sections [and for motors furnished loose to Project].
- B. Related Sections:
 - 1. Section 26 05 26 - Grounding and Bonding for Electrical Systems.
 - 2. Section 26 05 53 - Identification for Electrical Systems.
- C. Related Sections:
 - 1. Section 16060 - Grounding and Bonding for Electrical Systems.
 - 2. Section 16075 - Identification for Electrical Systems.

1.2 REFERENCES

List reference standards included within text of this section. Edit the following for Project conditions.

- A. American Bearing Manufacturers Association:
 - 1. ABMA 9 - Load Ratings and Fatigue Life for Ball Bearings.
- B. National Electrical Manufacturers Association:

1. NEMA MG 1 - Motors and Generators.

C. International Electrical Testing Association:

1. NETA ATS - Acceptance Testing Specifications for Electrical Power Distribution Equipment and Systems.

1.3 SUBMITTALS

Only request submittals needed to verify compliance with Project requirements.

- A. Section 01 33 00 - Submittal Procedures {01330 - Submittal Procedures}: Submittal procedures.
- B. Product Data: Submit catalog data for each motor furnished loose. Indicate nameplate data, standard compliance, electrical ratings and characteristics, and physical dimensions, weights, mechanical performance data, and support points.
- C. Test Reports: Indicate procedures and results for specified factory and field testing and inspection.

1.4 QUALIFICATIONS

- A. Manufacturer: Company specializing in manufacturing products specified in this section with minimum three years [documented] experience.
- B. Testing Agency: Company [member of International Electrical Testing Association and] specializing in testing products specified in this section with minimum [three] [_____] years [documented] experience.

1.5 DELIVERY, STORAGE, AND HANDLING

- A. Section 01 60 00 - Product Requirements {01600 - Product Requirements}: Product storage and handling requirements.
- B. Lift only with lugs provided. Handle carefully to avoid damage to components, enclosure, and finish.
- C. Protect products from weather and moisture by covering with plastic or canvas and by maintaining heating within enclosure.
- D. For extended outdoor storage, remove motors from equipment and store separately.